

Appendix 6 Quality Control Summary Table



Acumen Laboratory and Testing Limited

Flat/Rm D, 12/F, Ford Glory Plaza, Nos. 37-39 Wing Hong Street, Cheung Sha Wan, Kowloon, Hong Kong

Tel: (852) 2333 6823 Fax: (852) 2333 1316

Page 1 of 1

Appendix - Quality Control Summary Table

Project Name: Service Contract No. WD/03/2023 Hung Shui Kiu/Ha Tsuen New Development Area Second Phase Development - Environmental Team

		Method Blank Report		Duplicate Report			Sample Spike Report		Pass / Fail
		MDL	Result	Original Result	Duplicate Result	RPD	Spike concentration	Spike Recovery	
Sampling Date	Job No. Unit	mg/L	mg/L	mg/L	mg/L	%	mg/L	%	/
16/09/2024	R241973	0.22	0.08	5.06	5.31	-4.82	10	95.0	Pass
16/09/2024	R241973	0.22	0.09	3.36	3.54	-5.22	10	94.6	Pass
18/09/2024	R241974	0.22	0.10	4.14	4.01	3.19	10	94.5	Pass
18/09/2024	R241974	0.22	0.09	3.44	3.31	4.15	10	95.7	Pass
20/09/2024	R241997	0.22	0.09	3.71	3.89	-4.74	10	92.5	Pass
20/09/2024	R241997	0.22	0.11	3.95	3.83	3.08	10	94.3	Pass
23/09/2024	R241998	0.22	0.07	3.30	3.16	4.33	10	95.3	Pass
23/09/2024	R241998	0.22	0.10	4.75	4.50	5.41	10	94.5	Pass
25/09/2024	R241999	0.22	0.10	3.63	3.83	-5.36	10	95.2	Pass
25/09/2024	R241999	0.22	0.09	4.90	4.69	4.38	10	93.6	Pass
27/09/2024	R242000	0.22	0.11	3.64	3.45	5.36	10	96.1	Pass
27/09/2024	R242000	0.22	0.07	4.69	4.48	4.58	10	95.4	Pass
30/09/2024	R242070	0.22	0.10	3.16	3.26	-3.12	10	93.5	Pass
30/09/2024	R242070	0.22	0.11	4.11	4.36	-5.90	10	94.1	Pass



CERTIFICATE OF ANALYSIS

Client	: AURECON HONG KONG LIMITED	Laboratory	: ALS Technichem (HK) Pty Ltd	Page	: 1 of 5
Contact	: JOE HO	Contact	: Richard Fung	Work Order	: HK2439897
Address	: UNIT 1608, 16/F, TOWER B, MANULIFE FINANCIAL CENTRE, 223-231 WAI YIP STREET, KWUN TONG, HONG KONG	Address	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
E-mail	: Joe.Ho@aurecongroup.com	E-mail	: richard.fung@alsglobal.com		
Telephone	: ----	Telephone	: +852 2610 1044		
Facsimile	: ----	Facsimile	: +852 2610 2021		
Project	: SERVICE CONTRACT NO. WD/03/2023 HUNG SHUI KIU/HA TSEUN NEW DEVELOPMENT AREA SECOND PHASE DEVELOPMENT - ENVIRONMENTAL TEST			Date received	: 03-Oct-2024
Order number	: —	Quote number	: HKE/2207/2024	Date of issue	: 14-Oct-2024
C-O-C number	: —			No. of samples	- Received : 32
Site	: —				- Analysed : 32

This report may not be reproduced except with prior written approval from the testing laboratory.

Hong Kong Accreditation Service (HKAS) has accredited this laboratory, ALS Technichem (HK) Pty Ltd (Reg. No. HOKLAS 066) under Hong Kong Laboratory Accreditation Scheme (HOKLAS) for specific laboratory activities as listed in the HOKLAS Directory of Accredited Laboratories.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Position

Authorised results for:

Lin Wai Yu , Iris

Assistant Manager - Inorganics

Inorganics



Laboratory Duplicate (DUP) Report

In the Laboratory Duplicate (DUP) report, RPD (%) of sample duplicate reporting "0.0" denotes that the difference between unrounded results of the sample and its duplicate analyses is less than the value of the limit of reporting of the specific testing. The RPD (%) meets the quality control requirement of the corresponding testing procedure.

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 6101114)								
HK2439897-001	U3a Original	EA025: Suspended Solids (SS)	----	0.5	mg/L	2.2	2.5	13.3
HK2439897-011	TS2a Original	EA025: Suspended Solids (SS)	----	0.5	mg/L	28.8	28.3	1.9
EA/ED: Physical and Aggregate Properties (QC Lot: 6101115)								
HK2439897-021	LFS Original	EA025: Suspended Solids (SS)	----	0.5	mg/L	6.6	7.1	7.7
HK2439897-031	D6a Original	EA025: Suspended Solids (SS)	----	0.5	mg/L	5.8	6.4	10.8

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report							
					Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)		
		Method: Compound	CAS Number	LOR		Unit	Result	LCS	DCS	Low	High	Value
EA/ED: Physical and Aggregate Properties (QCLot: 6101114)												
EA025: Suspended Solids (SS)		----	0.5	mg/L	<0.5	20 mg/L	89.5	----	87.3	113	----	----
EA/ED: Physical and Aggregate Properties (QCLot: 6101115)												
EA025: Suspended Solids (SS)		----	0.5	mg/L	<0.5	20 mg/L	91.5	----	87.3	113	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

Client	: AURECON HONG KONG LIMITED	Laboratory	: ALS Technichem (HK) Pty Ltd	Page	: 1 of 5
Contact	: JOE HO	Contact	: Richard Fung	Work Order	: HK2440040
Address	: UNIT 1608, 16/F, TOWER B, MANULIFE FINANCIAL CENTRE, 223-231 WAI YIP STREET, KWUN TONG, HONG KONG	Address	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
E-mail	: Joe.Ho@aurecongroup.com	E-mail	: richard.fung@alsglobal.com		
Telephone	: ----	Telephone	: +852 2610 1044		
Facsimile	: ----	Facsimile	: +852 2610 2021		
Project	: SERVICE CONTRACT NO. WD/03/2023 HUNG SHUI KIU/HA TSEUN NEW DEVELOPMENT AREA SECOND PHASE DEVELOPMENT - ENVIRONMENTAL TEST			Date received	: 05-Oct-2024
Order number	: —	Quote number	: HKE/2207/2024	Date of issue	: 15-Oct-2024
C-O-C number	: —			No. of samples	- Received : 32
Site	: —				- Analysed : 32

This report may not be reproduced except with prior written approval from the testing laboratory.

Hong Kong Accreditation Service (HKAS) has accredited this laboratory, ALS Technichem (HK) Pty Ltd (Reg. No. HOKLAS 066) under Hong Kong Laboratory Accreditation Scheme (HOKLAS) for specific laboratory activities as listed in the HOKLAS Directory of Accredited Laboratories.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Position

Authorised results for:

Lin Wai Yu , Iris

Assistant Manager - Inorganics

Inorganics



Laboratory Duplicate (DUP) Report

In the Laboratory Duplicate (DUP) report, RPD (%) of sample duplicate reporting "0.0" denotes that the difference between unrounded results of the sample and its duplicate analyses is less than the value of the limit of reporting of the specific testing. The RPD (%) meets the quality control requirement of the corresponding testing procedure.

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 6103471)								
HK2440040-001	U3a Original	EA025: Suspended Solids (SS)	----	0.5	mg/L	2.0	2.3	11.8
HK2440040-011	TS2a Original	EA025: Suspended Solids (SS)	----	0.5	mg/L	33.0	33.4	1.2
EA/ED: Physical and Aggregate Properties (QC Lot: 6103472)								
HK2440040-021	LFS Original	EA025: Suspended Solids (SS)	----	0.5	mg/L	4.1	4.9	16.1
HK2440040-023	D1 Original	EA025: Suspended Solids (SS)	----	0.5	mg/L	33.1	35.2	6.0

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report							
					Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)		
		Method: Compound	CAS Number	LOR		Unit	Result	LCS	DCS	Low	High	Value
EA/ED: Physical and Aggregate Properties (QCLot: 6103471)												
EA025: Suspended Solids (SS)		----	0.5	mg/L	<0.5	20 mg/L	94.0	----	87.3	113	----	----
EA/ED: Physical and Aggregate Properties (QCLot: 6103472)												
EA025: Suspended Solids (SS)		----	0.5	mg/L	<0.5	20 mg/L	92.5	----	87.3	113	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

<i>Client</i>	: AURECON HONG KONG LIMITED	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 5
<i>Contact</i>	: JOE HO	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: HK2440359
<i>Address</i>	: UNIT 1608, 16/F, TOWER B, MANULIFE FINANCIAL CENTRE, 223-231 WAI YIP STREET, KWUN TONG, HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Joe.Ho@aurecongroup.com	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044		
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021		
<i>Project</i>	: SERVICE CONTRACT NO. WD/03/2023 HUNG SHUI KIU/HA TSEUN NEW DEVELOPMENT AREA SECOND PHASE DEVELOPMENT - ENVIRONMENTAL TEST			<i>Date received</i>	: 08-Oct-2024
<i>Order number</i>	: —	<i>Quote number</i>	: HKE/2207/2024	<i>Date of issue</i>	: 15-Oct-2024
<i>C-O-C number</i>	: —			<i>No. of samples</i>	- Received : 32
<i>Site</i>	: —				- Analysed : 32

This report may not be reproduced except with prior written approval from the testing laboratory.

Hong Kong Accreditation Service (HKAS) has accredited this laboratory, ALS Technichem (HK) Pty Ltd (Reg. No. HOKLAS 066) under Hong Kong Laboratory Accreditation Scheme (HOKLAS) for specific laboratory activities as listed in the HOKLAS Directory of Accredited Laboratories.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Position

Authorised results for:

Lin Wai Yu , Iris

Assistant Manager - Inorganics

Inorganics



Laboratory Duplicate (DUP) Report

In the Laboratory Duplicate (DUP) report, RPD (%) of sample duplicate reporting "0.0" denotes that the difference between unrounded results of the sample and its duplicate analyses is less than the value of the limit of reporting of the specific testing. The RPD (%) meets the quality control requirement of the corresponding testing procedure.

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 6109453)								
HK2440359-001	U3a Original	EA025: Suspended Solids (SS)	----	0.5	mg/L	2.4	2.6	9.9
HK2440359-011	TS2a Original	EA025: Suspended Solids (SS)	----	0.5	mg/L	9.3	9.4	1.8
EA/ED: Physical and Aggregate Properties (QC Lot: 6109454)								
HK2440359-021	LFS Original	EA025: Suspended Solids (SS)	----	0.5	mg/L	5.2	5.5	5.6
HK2440359-031	D6a Original	EA025: Suspended Solids (SS)	----	0.5	mg/L	24.6	23.2	6.0

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report							
					Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)		
		Method: Compound	CAS Number	LOR		Unit	Result	LCS	DCS	Low	High	Value
EA/ED: Physical and Aggregate Properties (QCLot: 6109453)												
EA025: Suspended Solids (SS)		----	0.5	mg/L	<0.5	20 mg/L	106	----	87.3	113	----	----
EA/ED: Physical and Aggregate Properties (QCLot: 6109454)												
EA025: Suspended Solids (SS)		----	0.5	mg/L	<0.5	20 mg/L	91.5	----	87.3	113	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.

ALS Technichem (HK) Pty Ltd

ALS Laboratory Group

ANALYTICAL CHEMISTRY & TESTING SERVICES



CERTIFICATE OF ANALYSIS

<i>Client</i>	: AURECON HONG KONG LIMITED	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 5
<i>Contact</i>	: JOE HO	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: HK2440360
<i>Address</i>	: UNIT 1608, 16/F, TOWER B, MANULIFE FINANCIAL CENTRE, 223-231 WAI YIP STREET, KWUN TONG, HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Joe.Ho@aurecongroup.com	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044		
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021		
<i>Project</i>	: SERVICE CONTRACT NO. WD/03/2023 HUNG SHUI KIU/HA TSEUN NEW DEVELOPMENT AREA SECOND PHASE DEVELOPMENT - ENVIRONMENTAL TEST			<i>Date received</i>	: 10-Oct-2024
<i>Order number</i>	: —	<i>Quote number</i>	: HKE/2207/2024	<i>Date of issue</i>	: 16-Oct-2024
<i>C-O-C number</i>	: —			<i>No. of samples</i>	- Received : 32
<i>Site</i>	: —				- Analysed : 32

This report may not be reproduced except with prior written approval from the testing laboratory.

Hong Kong Accreditation Service (HKAS) has accredited this laboratory, ALS Technichem (HK) Pty Ltd (Reg. No. HOKLAS 066) under Hong Kong Laboratory Accreditation Scheme (HOKLAS) for specific laboratory activities as listed in the HOKLAS Directory of Accredited Laboratories.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Position

Authorised results for:

Lin Wai Yu , Iris

Assistant Manager - Inorganics

Inorganics

ALS Technichem (HK) Pty Ltd
Part of the **ALS Laboratory Group**

11/F., Chung Shun Knitting Centre, 1-3 Wing Yip Street, Kwai Chung, N.T., Hong Kong
Tel: +852 2610 1044 Fax: +852 2610 2021 www.alsglobal.com



Laboratory Duplicate (DUP) Report

In the Laboratory Duplicate (DUP) report, RPD (%) of sample duplicate reporting "0.0" denotes that the difference between unrounded results of the sample and its duplicate analyses is less than the value of the limit of reporting of the specific testing. The RPD (%) meets the quality control requirement of the corresponding testing procedure.

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 6112727)								
HK2440360-001	U3a Original	EA025: Suspended Solids (SS)	----	0.5	mg/L	7.4	8.0	7.8
HK2440360-011	TS2a Original	EA025: Suspended Solids (SS)	----	0.5	mg/L	28.0	26.5	5.3
EA/ED: Physical and Aggregate Properties (QC Lot: 6112728)								
HK2440360-022	LFS Duplicate	EA025: Suspended Solids (SS)	----	0.5	mg/L	5.0	6.0	17.2
HK2440360-030	D5a Duplicate	EA025: Suspended Solids (SS)	----	0.5	mg/L	331	332	0.4

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report							
					Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)		
		Method: Compound	CAS Number	LOR		Unit	Result	LCS	DCS	Low	High	Value
EA/ED: Physical and Aggregate Properties (QCLot: 6112727)												
EA025: Suspended Solids (SS)		----	0.5	mg/L	<0.5	20 mg/L	96.5	----	87.3	113	----	----
EA/ED: Physical and Aggregate Properties (QCLot: 6112728)												
EA025: Suspended Solids (SS)		----	0.5	mg/L	<0.5	20 mg/L	92.5	----	87.3	113	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

<i>Client</i>	: AURECON HONG KONG LIMITED	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 5
<i>Contact</i>	: JOE HO	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: HK2440362
<i>Address</i>	: UNIT 1608, 16/F, TOWER B, MANULIFE FINANCIAL CENTRE, 223-231 WAI YIP STREET, KWUN TONG, HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Joe.Ho@aurecongroup.com	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044		
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021		
<i>Project</i>	: SERVICE CONTRACT NO. WD/03/2023 HUNG SHUI KIU/HA TSEUN NEW DEVELOPMENT AREA SECOND PHASE DEVELOPMENT - ENVIRONMENTAL TEST			<i>Date received</i>	: 12-Oct-2024
<i>Order number</i>	: —	<i>Quote number</i>	: HKE/2207/2024	<i>Date of issue</i>	: 16-Oct-2024
<i>C-O-C number</i>	: —			<i>No. of samples</i>	- Received : 32
<i>Site</i>	: —				- Analysed : 32

This report may not be reproduced except with prior written approval from the testing laboratory.

Hong Kong Accreditation Service (HKAS) has accredited this laboratory, ALS Technichem (HK) Pty Ltd (Reg. No. HOKLAS 066) under Hong Kong Laboratory Accreditation Scheme (HOKLAS) for specific laboratory activities as listed in the HOKLAS Directory of Accredited Laboratories.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Position

Authorised results for:

Lin Wai Yu , Iris

Assistant Manager - Inorganics

Inorganics



Laboratory Duplicate (DUP) Report

In the Laboratory Duplicate (DUP) report, RPD (%) of sample duplicate reporting "0.0" denotes that the difference between unrounded results of the sample and its duplicate analyses is less than the value of the limit of reporting of the specific testing. The RPD (%) meets the quality control requirement of the corresponding testing procedure.

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 6117928)								
HK2440362-001	U3a Original	EA025: Suspended Solids (SS)	----	0.5	mg/L	2.7	2.4	10.2
HK2440362-011	TS2a Original	EA025: Suspended Solids (SS)	----	0.5	mg/L	2.6	3.1	17.4
EA/ED: Physical and Aggregate Properties (QC Lot: 6117929)								
HK2440362-021	LFS Original	EA025: Suspended Solids (SS)	----	0.5	mg/L	10.0	10.5	4.9
HK2440362-031	D6a Original	EA025: Suspended Solids (SS)	----	0.5	mg/L	8.7	9.0	3.2

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report							
					Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)		
		Method: Compound	CAS Number	LOR		Unit	Result	LCS	DCS	Low	High	Value
EA/ED: Physical and Aggregate Properties (QCLot: 6117928)												
EA025: Suspended Solids (SS)		----	0.5	mg/L	<0.5	20 mg/L	93.0	----	87.3	113	----	----
EA/ED: Physical and Aggregate Properties (QCLot: 6117929)												
EA025: Suspended Solids (SS)		----	0.5	mg/L	<0.5	20 mg/L	89.0	----	87.3	113	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.

Appendix - Quality Control Summary Table

Project Name: Service Contract No. WD/03/2023 Hung Shui Kiu/Ha Tsuen New Development Area Second Phase Development - Environmental Team

		Method Blank Report		Duplicate Report			Sample Spike Report		Pass / Fail
		LOR	Result	Original Result	Duplicate Result	RPD	Spike concentration	Spike Recovery	
Sampling Date	Job No. <small>Unit</small>	mg/L	mg/L	mg/L	mg/L	%	mg/L	%	/
03/10/2024	HK2439897	0.5	<0.5	2.2	2.5	13.3	20	89.5	Pass
03/10/2024	HK2439897	0.5	<0.5	28.8	28.3	1.9	20	89.5	Pass
03/10/2024	HK2439897	0.5	<0.5	6.6	7.1	7.7	20	91.5	Pass
03/10/2024	HK2439897	0.5	<0.5	5.8	6.4	10.8	20	91.5	Pass
05/10/2024	HK2440040	0.5	<0.5	2.0	2.3	11.8	20	94.0	Pass
05/10/2024	HK2440040	0.5	<0.5	33.0	33.4	1.2	20	94.0	Pass
05/10/2024	HK2440040	0.5	<0.5	4.1	4.9	16.1	20	92.5	Pass
05/10/2024	HK2440040	0.5	<0.5	33.1	35.2	6.0	20	92.5	Pass
08/10/2024	HK2440059	0.5	<0.5	2.4	2.6	9.9	20	106.0	Pass
08/10/2024	HK2440059	0.5	<0.5	9.3	9.4	1.8	20	106.0	Pass
08/10/2024	HK2440059	0.5	<0.5	5.2	5.5	5.6	20	91.5	Pass
08/10/2024	HK2440059	0.5	<0.5	24.6	23.2	6.0	20	91.5	Pass
10/10/2024	HK2440060	0.5	<0.5	7.4	8.0	7.8	20	96.5	Pass
10/10/2024	HK2440060	0.5	<0.5	28.0	26.5	5.3	20	96.5	Pass
10/10/2024	HK2440060	0.5	<0.5	5.0	6.0	17.2	20	92.5	Pass
10/10/2024	HK2440060	0.5	<0.5	331.0	332.0	0.4	20	92.5	Pass
12/10/2024	HK2440062	0.5	<0.5	2.7	2.4	10.2	20	93.0	Pass
12/10/2024	HK2440062	0.5	<0.5	2.6	3.1	17.4	20	93.0	Pass
12/10/2024	HK2440062	0.5	<0.5	10.0	10.5	4.9	20	89.0	Pass
12/10/2024	HK2440062	0.5	<0.5	8.7	9.0	3.2	20	89.0	Pass